

**NOTICE 1723 OF 2007****DEPARTMENT OF PUBLIC WORKS  
AGRÉMENT SOUTH AFRICA**

(Approval of innovative construction products and systems)

Notice is hereby given that Agrément South Africa has, with effect from 12 September 2007, issued an Agrément certificate, details of which appear in the schedule hereto.

**SCHEDULE**

Agrément Certificate No 1999/272 (Amended September 2007)

**Name of product:** Robust Building System

**Certificate holder:** Robust Kits (Pty) Ltd

**Description:** The Robust building system consists of :

- conventional cast in situ concrete surface beds with thickened edge beams and thickening under internal walls
- walls constructed of factory produced expanded metal panels to which mortar is applied on both faces. Mortar is applied to panels either by hand or mechanically packing. Mechanically applied mortar may be applied wet (pumped) or dry (gunited), with hand packed mortar and mechanically applied wet mixes, both faces of core are plastered.
- conventional roof construction and roof coverings.

Where the Robust System is to be used in the Southern Coastal Condensation Problem Area, insulated ceilings are installed in all cases and outer walls are given an additional external finish of Pratliperl plaster. The walls must be 130mm excluding 13mm thick additional plaster.

The Agrément certificate contains detailed information on the product and can be accessed at <http://www.agrement.co.za>

Copies are obtainable from: The Manager  
Agrément South Africa  
P O Box 395  
0001 PRETORIA