


# 14

## Concluding Remarks

The HIV & AIDS and STI Strategic Plan 2007-2011 is seen as a dynamic document that will be subject to regular critical review. This will be undertaken at the National, Provincial and District levels with inputs from all stakeholders.

A mid-term review will be conducted and the Strategic Plan modified in accordance with the findings.





# Acknowledgements

The development of this *HIV & AIDS and STI Strategic Plan for South Africa: 2007 – 2011* would not have been possible without the immeasurable assistance from countless individuals and organisations, and all those who participated in the various sector summits.

Our thanks goes to all who took the time and effort to assist in the development of the document, be it through drafting sections or reading and commenting several times to improve the quality. Special thanks go to the task team members (Annexure A), who worked tirelessly to ensure excellent quality of this very important document.



# References

- i Sharma, S.K., Mohan, A., & Kadiravan, T. (2005). HIV-TB co-infection: Epidemiology, diagnosis and management. *Indian Journal of Medical Research*, 121:550-567; Sonnenberg, P., Glynn, J.R., Fielding, K., Murray, J., Godfrey-Fausset, P., & Shearer, S. (2005). How soon after infection with HIV does the risk of tuberculosis start to increase? A retrospective cohort study in South African gold miners. *Journal of Infectious Disease*, 191:150-8
- ii Zumla, A., Malon, P., Henderson, J., & Grange, J.M. (2000). Impact of HIV infection on tuberculosis. *Postgrad Medical Journal*, 76:259-268.
- 1 UNAIDS. (2006a). 2006 report on the global AIDS epidemic. Geneva: UNAIDS
- 2 UNAIDS, 2006a; Hallet et al, 2006; Cheluget et al, 2006; Bello et al, 2006; Kirungi et al, 2006; Mahomva et al, 2006
- 3 UNAIDS, 2006a
- 4 UNAIDS. (2006b). December 06: AIDS epidemic update. Geneva: UNAIDS
- 5 Dorrington, R. E., Moultrie, T. A. and Daniel, T. 2006. *Modelling the impact of HIV/AIDS in Botswana*. Gaborone: UNDP and NACA, Botswana.
- 6 Department of Health. (2006). National HIV and syphilis antenatal sero-prevalence survey in South Africa 2005. Pretoria: Department of Health. Shisana et al Shisana O. 2002. Nelson Mandela / HSRC study of HIV/AIDS: South African national HIV prevalence behavioural risks and mass media. Cape Town: HSRC; Shisana O, Rehle T, Simbayi LC, Parker W, Zuma K, Bhana A, Connolly C, Jooste, S, Pillay V. 2005. South African national HIV prevalence, HIV incidence, behaviour and communications survey. Cape Town: HSRC Press.
- 7 Pettifor, A., Rees, H., Steffenson, A., Hlongwa-Madikizela, L., MacPhall, C., Vermaak, K., et al. (2004). *HIV and sexual behavior among South Africans: A national survey of 15-24 year olds*. Johannesburg: Reproductive Health Research Unit, University of Witwatersrand.
- 8 Department of Health, 2006
- 9 Shisana, et al (2005)
- 10 Shisana, O., Peltzer, K., Zungu-Dirwayi, N. & Louw, J. (Eds). (2005). *The health of our educators: A focus on HIV/AIDS in South African public schools, 2004/5 survey*. Cape Town: HSRC Press.
- 11 Shisana, O., Hall, E., Maluleke, K.R., Stoker, D.J., Schwabe, C., Colvin, M., et al (2002). *The impact of HIV/AIDS on the health sector: National survey of health personnel, ambulatory and hospitalised patients and health facilities 2002*. Cape Town: HSRC Press
- 12 Shisana, O., Mehtar, S., Mosala, T., Zungu-Dirwayi, N., Rehle, T., Dana, P. et al. (2004). *HIV risk exposure among young children: A study of 2-9 year olds served by public health facilities in the Free State, South Africa*. Cape Town: HSRC.
- 13 Dorrington, R. E., Bradshaw, D., Johnson, L. and Daniel, T. 2006. *The Demographic Impact of HIV/AIDS in South Africa. National and Provincial Indicators 2006*. Cape Town: Centre for Actuarial Research, South African Medical Research Council, Actuarial Society of South Africa. [www.commerce.uct.ac.za/Research\\_Units/CARE/RESEARCH/PAPERS/ASSA2003Indicators](http://www.commerce.uct.ac.za/Research_Units/CARE/RESEARCH/PAPERS/ASSA2003Indicators)
- 14 Rehle, T. & Shisana, O. (2003). *Epidemiological and demographic HIV/AIDS projections: South Africa*. *African Journal of AIDS Research*, 2(1). 1-8.

- 15 Department of Health. (2006). National HIV and syphilis antenatal sero-prevalence survey in South Africa 2005. Pretoria: Department of Health.
- 16 Note: Numbers rounded to nearest thousand to avoid spurious accuracy. Source: Dorrington, Bradshaw, Johnson and Daniel (2006)
- 17 Shisana et al, 2005
- 18 Shaikh N, Abdullah F, Lombard CJ, Smit L, Bradshaw D, Makubalo L Masking through averages – intraprovincial heterogeneity in HIV prevalence within the Western Cape, 2006. *S Afr Med J*. 2006 Jun;96(6):538-43
- 19 Shisana et al, 2005
- 20 Human Science Research Council, 2005
- 21 Shisana, et al, 2005
- 22 Rehle, T., Lazzari, S., Dallabetta, G., & Asamoah-Odei, E. (2004). *Second generation HIV surveillance: better data for decision making*. Bulletin of the World Health Organization, 82, 121-127.
- 23 Brocklehurst P, Volmink J. (2002). Antiretrovirals for reducing the risk of mother-to-child transmission of HIV infection. *Cochrane Database Syst Rev* 2: CD003510.
- 24 Heyns, A. & Swanevelder, J. (2005). Safe blood supplies. In S. Abdool Karim & Q. Abdool Karim (Eds.), *HIV/AIDS in South Africa*. Cambridge: Cambridge University Press.
- 25 Colvin, M. (2005). Impact of AIDS – the healthcare burden. In S. Abdool Karim & Q. Abdool Karim (Eds.), *HIV/AIDS in South Africa*. Cambridge: Cambridge University Press. 336-350.; Shisana, O., Mehtar, S., Mosala, T., Zungu-Dirwayi, N., Rehle, T., Dana, P. et al. (2004).
- 26 UNAIDS, 2006a
- 27 Gie, R. et al. (1993). The socio-economic determinants of the HIV/AIDS epidemic in South Africa: A cycle of poverty. *South African Medical Journal*, 83, 223-224.
- 28 Halperin, D. & Allen, A. (2001). Is poverty the root cause of African AIDS? *AIDS Analysis in Africa*, 11(4), 1, 3, 15.
- 29 Mitton, J. (2000). The sociological spread of HIV/AIDS in South Africa. *Journal of the Association of Nurses in AIDS Care*, 11(4), 17-26.
- 30 Kalichman, S.C., Simbayi, L.C., Kagee, A., Toefy, Y. & Jooste, S. (2006). Association of Poverty, Substance Use, and HIV Transmission Risk Behaviors in Three South African Communities. *Social Science & Medicine*, 62, 1641-1649.
- 31 Jewkes, R., & Abrahams, N. (2002). The epidemiology of rape and sexual coercion in South Africa: An overview. *Social Science and Medicine*, 55, 1231-1244.
- 32 CADRE [Centre for AIDS Development, Research and Evaluation]/ DoH [Department of Health, South Africa] (2003). *Gender-based violence and HIV/AIDS in South Africa: A bibliography*. Johannesburg: CADRE.
- 33 Kalichman, C., Simbayi, L.C., Cain, D., Cherry, C., Henda, N. & Cloete, A. (2007). Sexual assault, sexual risks, and gender attitudes among South African men. *AIDS Care*, 19(1), 20-27.
- 34 Jewkes, R., Penn-Kekana, L., Levin, J., Ratsaka, M., & Schriber, M. (2001). Prevalence of emotional, physical, and sexual abuse of women in three South African provinces. *South African Medical Journal*, 91(5):421-428.
- 35 Jewkes, R., & Abrahams, N. (2002). The epidemiology of rape and sexual coercion in South Africa: An overview. *Social Science and Medicine*, 55, 1231-1244.
- 36 Kalichman, S.C., & Simbayi, L. (2004c). Sexual assault history and risks for sexually transmitted infections among women in an African township in Cape Town, South Africa. *AIDS Care*, 16, 681-689
- 37 Boonzaier, F. (2005). Women abuse in South Africa: A brief contextual analysis. *Feminism & Psychology*, 15, 99-103.
- 38 Kalichman, S.C., & Simbayi, L.C (2005). Genital Bleeding During Sex among Sexually Transmitted Infection Clinic Patients in Cape Town, South Africa. *Sexual Health*, 2, 85-88.
- 39 Morrell, R. (2002). *Changing men in South Africa*. University of Natal Press, Durban, South Africa NIMH Multisite Study Group. (1998)
- 40 Meyer-Weitz, A., Reddy, P., Weijts, W., van den Borne, B. & Kok, G. (1998). The socio-cultural contexts of sexually transmitted diseases in South Africa: Implications for health education programmes. *AIDS Care*, 10, 539-555.
- 41 Simbayi, L. (2002). Psychosocial and cultural determinants of HIV/AIDS in the SADC region. (Chapter 3). *HIV/AIDS in Southern Africa: A review paper*. Cape Town: HSRC Press.
- 42 UNAIDS (2006). Report on the global AIDS epidemic. Geneva: UNAIDS.
- 43 Shisana, O., Rehle, T., Simbayi, L.C., Parker, W., Zuma, K., Bhana, A., et al. (2005a). *South African national HIV prevalence, HIV incidence, behaviour and communication survey*. Cape Town: HSRC Press

- 44 Simbayi, L.C., Strebel, A., Cloete, A., Henda, N., Mqeketo, A., Magome, K., & Kalichman, S.C. (In press). Internalized AIDS Stigma, AIDS Discrimination, and Depression among Men and Women Living with HIV/AIDS, Cape Town, South Africa. *Social Science & Medicine*
- 45 Achmat, Z. (2001). (Untitled). Verbatim transcript of the address to the AIDS in Context Conference held at the University of the Witwatersrand on 7th April 2001. [Available from: <http://www.tac.org.za>]
- 46 Qwana E, Mkaya M, Dladla N & Lurie M (2000). An analysis of reasons for wanting and not wanting to disclose HIV status Paper presented at the International AIDS Conference held in Durban.
- 47 International Organisation for Migration. (2006). HIV/AIDS, population mobility and migration in Southern Africa: Defining a research and policy agenda. Pretoria: IOM
- 48 International Organisation for Migration and UNAIDS. (2003). Mobile Populations and HIV/AIDS in the Southern African Region: Desk Review and Bibliography on HIV/AIDS and Mobile Populations. Pretoria: IOM
- 49 International Organisation for Migration. (2006). HIV/AIDS, population mobility and migration in Southern Africa: Defining a research and policy agenda. Pretoria: IOM
- 50 International Organisation for Migration. (2006). HIV/AIDS, population mobility and migration in Southern Africa: Defining a research and policy agenda. Pretoria: IOM
- 51 Thomas, E.P. & Twala, S. (The HIV health challenge for people living in informal settlements – are environmental risks and exacerbating factor. *Epidemiology*: 6(5):S162
- 52 Health Science Research Council , 2005
- 53 United Nations (2002) United Nations Special Session on HIV/AIDS, United nations New York
- 54 UNAIDS, UNICEF, USAID (2004) Children on the Brink 2004, Geneva
- 55 Shisana, et al (2005) South Africa National HIV Prevalence, HIV Incidence, Behaviour and Communication Survey, HRSC, Cape Town
- 56 Statistics South Africa (2006). Mortality and causes of death in South Africa, 2003 and 2004: findings from death notification. Pretoria: Statistics South Africa.
- 57 Kistner, U., Fox, S., & Parker, W. (2004) Child sexual abuse and HIV/AIDS in South Africa: A review. Johannesburg: CADRE/DOH
- 58 Jürgens, R. (2006) HIV/AIDS and HIV/AIDS an HCV in prisons: A select annotated bibliography. *International Journal of Prisoner Health*, 2(2): 131-149
- 59 Gow, J, Smith, G., Goyer, K., & Colvin, M. (2004). The socio - economic characteristics of HIV in a South African prison. *Int Conf AIDS*. Abstract no. WePeD6529.
- 60 UNAIDS, 1998
- 61 Kistner, U., Fox, S., & Parker, W. (2004) Child sexual abuse and HIV/AIDS in South Africa: A review. Johannesburg: CADRE/DOH
- 62 Leggett, T. (2005). Intravenous drug use in South Africa. In S. Abdoal Karim & Q. Abdoal Karim (Eds.), *HIV/AIDS in South Africa*. Cambridge: Cambridge University Press.
- 63 Vernazza PL, Eron JJ, Fiscus SA, Cohen MS. (1999). Sexual transmission of HIV: infectiousness and prevention. *AIDS* 13:155-166.
- 64 Pilcher, C.D. et al. (2004). Brief but efficient: Acute HIV infection and the sexual transmission of HIV. *Journal of Infectious Diseases*. 189:1785-1892
- 65 Taylor S, Boffito M, Vernazza PL. (2003). Antiretroviral therapy to reduce the sexual transmission of HIV. *J HIV Ther* 8:55-66.
- 66 Pettifor, A.E., van der Straten, A., Dunbar, M., Shiboski, S.C., & Padian, N. (2004). Early age of first sex: a risk factor for HIV infection among women in Zimbabwe. *AIDS*, 18(10):1435-1442; Harrison, A. Cleland, J. Gouws, Frohlich, . 2006, Early Sexual Debut Among Young Men in Rural South Africa: Heightened Vulnerability to Sexual Risk?, *Sexually Transmitted Infections*, 81, pp. 259-261; Gregson, S., Nyamukapa, C., Garnett, G.P., Mason, P.R., Zhuwau, T., Carael, M., et al. (2002). Sexual mixing patterns and sex-differentials in teenage exposure to HIV infection in rural Zimbabwe. *The Lancet* 359:1896-1903; Pettifor, A. E., Rees, H. V., Steffenson, A., Hlongwa-Madlklzela, L., MacPhall, C., Vermaak, K., Kleinschmidt, I, 2004, HIV and sexual behavior among South Africans: a national survey of 15-24 year olds, Reproductive Health Research Unit, University of Witwatersrand.
- 67 Thurman, T.R., Brown, L., Richter, L., Maharaj, P., & Magnani, R. (2006). Risk Behavior among South African Adolescents: Is Orphan Status a Factor? *AIDS and Behavior* 10(6):627-635
- 68 Kirungi, W.L., Musinguzi, J., Madraa, E., Mulumba, N., Callejja, T., Ghus, P., & Bessinger, R. (2006). Trends in antenatal HIV prevalence in Urban Uganda associated with uptake of preventive sexual behaviour. *Sexually Transmitted Infections*, 82(S1):i36-i41; Hallet, T.B., Aberle-Grasse, J., Bello, G., Boulos, L.M., Cayemittes, M.P.A., Cheluget, B. et al. (2006). Declines in HIV prevalence can be associated with changing sexual behaviour in Uganda, urban Kenya, Zimbabwe and urban Haiti. *Sexually Transmitted Infections*. 82(Suppl 1): i1-i8

- 69 Shisana et al, 2005; Kelly, R.J., Gray, R.H., Sewankambo, N.K., Serwadda, D., Wabire-Mangen, F., Lutalo, T. & Wawer, M. (2003). Age Differences in Sexual Partners and Risk of HIV-1 Infection in Rural Uganda. *Journal of Acquired Immune Deficiency Syndromes*. 32(4): 446-451
- 70 Pettifor, A.E., Measham, D.M., Rees, H.V., & Padian, N.S. (2004). Sexual power and HIV risk in South Africa. *Emerging Infectious Diseases*, 10:1996-2004.
- 71 Dunkle, K.L., Jewkes, R.K., Brown, H.C., Gray, G.E., McIntyre, J.A., & Harlow, S.D. (2004). Gender-based violence, relationship power, and risk of HIV infection in women attending antenatal clinics in South Africa. *Lancet* 363:1415-1421.
- 72 Morris, M. & Kretzchmar, M. (2000). A microsimulation study of the effect of concurrent partnerships on the spread of HIV in Uganda. Working Paper 00-07. Pennsylvania State University; Wawer, M. J. et al. (2005). Rates of HIV-1 transmission per coital act, by stage of HIV-1 infection, in Rakai, Uganda. *Journal of Infectious Diseases*. 191(9):1403-9.
- 73 Bongaarts J (2006) Late Marriage and the HIV Epidemic in sub-Saharan Africa. Working Paper 216, Population Council.
- 74 Hallet, T.B., Aberle-Grasse, J., Bello, G., Boulos, L.M., Cayemittes, M.P.A., Cheluget, B. et al. (2006). Declines in HIV prevalence can be associated with changing sexual behaviour in Uganda, urban Kenya, Zimbabwe and urban Haiti. *Sexually Transmitted Infections*. 82(Suppl 1): i1-i8; Shisana et al, 2005.
- 75 Shisana et al, 2005.
- 76 Pettifor AE, Rees HV, Steffenson A, Hlongwa-Madlklzela L, MacPhall C, Vermaak K, Kleinschmidt I. 2004. HIV and sexual behavior among South Africans: A national survey of 15-24 year olds. Johannesburg: Reproductive Health Research Unit, University of Witwatersrand.
- 77 Weller, S., & Davis, K. (2002). Condom effectiveness in reducing heterosexual HIV transmission. *Cochrane Database Syst Rev*. 4:2003
- 78 Ahmed, S., Lutalo, T., Wawer, M., Serwadda, D., Sewankambo, N.K., Nalugoda, F., et al. (2001). HIV incidence and sexually transmitted disease prevalence associated with condom use: a population study in Rakai, Uganda. *AIDS* 15:2171-2179
- 79 Shisana et al, 2002
- 80 Shisana et al, 2005; Pettifor et al, 2004.
- 81 Hallet et al, 2006
- 82 Weiss, H.A., Quigley, M.A., & Hayes, R.J. (2000). Male circumcision and risk of HIV infection in sub-Saharan Africa: A systematic review and meta-analysis. *AIDS* 14:2361-2370
- 83 Auvert, B., Taljaard, D., Lagarde, E., Sobngwi-Tambekou, J., Sitta, R., & Puren, A. (2005). Randomised, controlled intervention trial of male circumcision for reduction of HIV infection risk: The ANRS 1265 Trial. *PLOS Medicine* 2(11):e298
- 84 Bailey, R. C., Moses, S., Parker, C. B., Agot, K. et al. 2007. "Male circumcision for HIV prevention in young men in Kisumu, Kenya: a randomised controlled trial", *Lancet* 369:643-656; Gray, R. H., Kigozi, G., Serwadda, D., Makumbi, F. et al. 2007. "Male circumcision for HIV prevention in men in Rakai, Uganda: a randomised trial", *Lancet* 369(657-66)
- 85 Bonner, K. (2001). Male circumcision as an HIV control strategy: Not a 'natural condom'. *Reproductive Health Matters*, 9(18):1-13
- 86 Williams, B.G., Lloyd-Smith, J.O., Gouws, E., Hankins, C., Getz, W.M., Hargrove, J., et al. (2006). The potential impact of male circumcision on HIV in sub-Saharan Africa. *PLOS Medicine* 3(7):e262
- 87 Weiser, S.D., Leiter, K., Heisler, M., McFarland, W., Percy-de Korte, F., et al. (2006) A population-based study on alcohol and high-risk sexual behaviors in Botswana. *PLoS Med* 3(10): e392; Zuma K, Gouws E, Williams B, Lurie M. 2003. Risk factors for HIV infection among women in Carletonville, South Africa: Migration, demography and sexually transmitted diseases. *Int J STD AIDS* 14:814-817.
- 88 Weinhardt et al, 1999; Coates et al, 2000; Matovu et al, 2004
- 89 Johnson et al, 2006; Crepaz et al, 2006
- 90 Shisana et al, 2005
- 91 (ILO, 2006)
- 92 (Ashford, 2006)
- 93 (Letlape et al., 2006; Jooste et al., 2006)
- 94 (Skinner, 2006)
- 95 (UNICEF)
- 96 Baingana, F., Thomas, R., & Comblain, C. (2004). HIV/AIDS and mental health. Washington: World Bank; Freeman, M., Nkomo, N., Kafaar, Z. and Kelly, K. (2007). Mental disorder in people living with HIV/AIDS in a high prevalence developing country context. Forthcoming in *The Lancet*.
- 97 (Shisana et al, 2003)
- 98 (Connelly et al, 2007)
- 99 (Shisana et al., 2005b)

# Annexure A: Core Task Team Members

A Task Team was appointed by the Director-General Health and comprised of:

Dr Nomonde Xundu – Cluster Manager: HIV & AIDS and STIs, National Department of Health – Chairperson

Dr Lindiwe Makubalo – Cluster Manager: Health Information, Evaluation and Research, National Department of Health

Dr Connie Kganakga – Chief Director: HIV and AIDS, Department of Social Development

Prof Quarraisha Abdool-Karim – Associate Scientific Director – CAPRISSA – University of KwaZulu-Natal

Dr Molefi Sefularo – WHIT for ANC strategic meeting – Parliament

Mr Obed Qulo – Project Director, HEARD

Prof Rob Dorrington – Director of the Centre for Actuarial Research – University of Cape Town

Dr Mbulawa Mugabe – Country Coordinator: UNAIDS

Ms Hendrietta Bogopane-Zulu – Member of Parliament

Prof Helen Schneider – Centre for Health Policy, School of Public Health – WITS

Dr Fazel Randera – Health Advisor: Chamber of Mines

Mr Mark Heywood – Executive Director: AIDS Law Project

Mr Sibane Mngadi – Media Liaison, Ministry, National Department of Health

Mr Nkululeko Nxesi – Director, NAPWA

Dr Clarence Mini – NAPWA

Ms Siphon Mthathi – General Secretary: Treatment Action Campaign

Mrs E Grundling – Secretariat to Task Team

Ms Sandra Mabamba – Secretariat to Task Team

Prof Helen Rees – Executive Director: Reproductive Health and HIV Research Unit

Dr Ernest Darkoh – Programme Director: Broadreach Healthcare

Dr Francois Venter – President: HIV Clinicians Society

Dr Andrew Boulle – University of Cape Town

Dr Mark Blecher – Director: Social Services, National Treasury

Ms Susan Cleary – Researcher: Health Economics Unit, University of Cape Town

Mr Allan Liebenberg – Coordinator: National Association of Schools Governing Body Western Cape

Ms Mpumi Matangana – Manager: MSF

Ms Veliswa Labgatala – Professional Nurse: City of Cape Town

Mr Warren Parker – Director: CADRE

Ms Helen Meintjies – Senior Researcher: Children's Institute, University of Cape Town

Dr Harry Moultrie – Director: WITS Pediatric HIV Clinics

Ms Karen Allan – Project Manager: ACEAA

Ms Prudence Mabele – Founder and Executive Director: Positive Women's Network for people Living with HIV & AIDS

# Annexure B: Map of South Africa

*The following map represents the nine provinces that make up South Africa*

